

Cat. No. 33-1132

Pro 40 Headphones

Your Optimus Pro 40 Headphones incorporate high velocity and dynamic elements to deliver professional stereo sound quality.

Large drivers provide extended frequency response with deep bass for distortion-free listening.



The headphones' features include:

Closed Earcup Design — reduces ambient sound and provides an isolated listening experience.

High Energy Magnets — deliver professional quality sound in a lightweight package.

Adjustable Headband — provides the best fit.

8-Foot Coil Cord with 1/4-Inch Plug — gives you flexibility and convenience of movement.

The frequency response is 20-20,000 Hz. Total Harmonic Distortion is less than 1% at 95 dB SPL 1 kHz.

OPERATION

Caution: Turn down the volume on your sound source before plugging in the headphones.

1. Plug the headphones into a 1/4-inch stereo jack.
2. Adjust the headband for a comfortable fit.
3. Adjust the sound source's volume to a comfortable level.

Listening Safely

To protect your hearing, follow these guidelines when you use headphones.

- Set the volume to the lowest setting before you begin listening. After you begin listening, adjust

© 1995 Tandy Corporation.
All Rights Reserved.

Optimus and Radio Shack are registered trademarks used by Tandy Corporation.

OPTIONAL ACCESSORIES

- Do not listen at extremely high volume levels. Extended high-volume listening can lead to permanent hearing loss.
- Once you set the volume, do not increase it. Over time, your ears adapt to the volume level, so a volume level that does not cause discomfort might still damage your hearing.

Traffic Safety

Do not wear headphones while operating a motor vehicle or riding a bicycle. This can create a traffic hazard and is illegal in some areas. Even though some headphones are designed to let you hear some outside sounds when listening at normal volume levels, they still present a traffic hazard.

24-Foot Coiled Extension Cable (Cat. No. 42-2443) — lets you move about comfortably while listening without tangling a cord.

Stereo Y-Adapter (Cat. No. 42-2448) — lets you connect two sets of stereo headphones to one stereo headphone jack.

Stereo-to-Mono Adapter (Cat. No. 274-360) — lets you connect your stereo headphones to any monaural source, such as CB sets, short-wave radios, and mono audio equipment.

1/4-Inch Stereo-to-1/8-Inch Stereo Plug Adapter (Cat. No. 274-366) — lets you use your headphones with any portable stereo radio, tape recorder, or portable CD player with a 1/8-inch stereo jack.

RADIO SHACK LIMITED WARRANTY

This product is warranted against defects for 90 days from date of purchase from Radio Shack company-owned stores and authorized Radio Shack franchisees and dealers. Within this period, we will repair it without charge for parts and labor. Simply bring your **Radio Shack sales slip** as proof of purchase date to any Radio Shack store. Warranty does not cover transportation costs. Nor does it cover a product subjected to misuse or accidental damage.

EXCEPT AS PROVIDED HEREIN, RADIO SHACK MAKES NO EXPRESS WARRANTIES AND ANY IMPLIED WARRANTIES ARE LIMITED IN DURATION TO THE DURATION OF THE WRITTEN LIMITED WARRANTIES CONTAINED HEREIN. Some states do not permit limitation or exclusion of implied warranties; therefore, the aforesaid limitation(s) or exclusion(s) may not apply to the purchaser.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

We Service What We Sell

9/94

RADIO SHACK
A Division of Tandy Corporation
Fort Worth, Texas 76102

7A5

Printed in the USA

RADIO SHACK
A Division of Tandy Corporation
Fort Worth, Texas 76102

7A5

Printed in the USA

RADIO SHACK
A Division of Tandy Corporation
Fort Worth, Texas 76102

7A5

Printed in the USA